



[HOME](#) | [ABOUT](#) | [CONTACT](#) | [SUPPORT](#) | [FAQ](#) | [SITEMAP](#) | [SEARCH](#)

Florida Department of
**Business & Professional
 Regulation**

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
 USER: Public User

License efficiently. Regulate fairly.

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**



FL #	FL242-R15				
Application Type	Revision				
Code Version	2010				
Application Status	Approved				
	*Approved by DCA. Approvals by DCA shall be reviewed and ratified by the POC and/or the Commission if necessary.				
Comments					
Archived	<input type="checkbox"/>				
Product Manufacturer	PGT Industries				
Address/Phone/Email	1070 Technology Drive Nokomis, FL 34275 (941) 486-0100 Ext 22318 druark@pgtindustries.com				
Authorized Signature	Jens Rosowski jrosowski@pgtindustries.com				
Technical Representative	Jens Rosowski				
Address/Phone/Email	1070 Technology Drive Nokomis, FL 34275 (941) 486-0100 Ext 21140 jrosowski@pgtindustries.com				
Quality Assurance Representative					
Address/Phone/Email					
Category	Windows				
Subcategory	Horizontal Slider				
Compliance Method	Certification Mark or Listing				
Certification Agency	Miami-Dade BCCO - CER				
Validated By	Miami-Dade BCCO - VAL				
Referenced Standard and Year (of Standard)	<table border="0"> <tr> <td>Standard</td> <td>Year</td> </tr> <tr> <td>TAS 201, 202, 203</td> <td>1994</td> </tr> </table>	Standard	Year	TAS 201, 202, 203	1994
Standard	Year				
TAS 201, 202, 203	1994				
Equivalence of Product Standards Certified By					
Product Approval Method	Method 1 Option A				

Date Submitted 12/21/2012
 Date Validated 01/10/2013
 Date Pending FBC Approval
 Date Approved 01/21/2013

Summary of Products

FL #	Model, Number or Name	Description
242.1	HR - 210 (Non-Impact)	Aluminum Horizontal Roller Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: Please see the Miami-Dade County Notice of Acceptance (NOA) for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL242_R15_C_CAC_11-1201.04_HR210.pdf Quality Assurance Contract Expiration Date 04/05/2017 Installation Instructions FL242_R15_II_11-1201.04_HR210.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Thrd Party: Evaluation Reports Created by Independent Thrd Party:
242.2	HR - 510 (Large Missile Impact)	WinGuard Vinyl Horizontal Roller Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Please see the Miami-Dade County Notice of Acceptance (NOA) for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL242_R15_C_CAC_11-1114.06.pdf Quality Assurance Contract Expiration Date 02/17/2016 Installation Instructions FL242_R15_II_11-1114.06.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
242.3	HR - 610 (Non-Impact)	WinGuard Aluminum Horizontal Roller Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: Please see the Miami-Dade County Notice of Acceptance (NOA) for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL242_R15_C_CAC_11-1114.05.pdf Quality Assurance Contract Expiration Date 07/27/2016 Installation Instructions FL242_R15_II_11-1114.05.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
242.4	HR - 710 (Impact)	WinGuard Aluminum Horizontal Roller Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Please see the Miami-Dade County Notice of Acceptance (NOA) for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL242_R15_C_CAC_11-1114.04.pdf Quality Assurance Contract Expiration Date 12/21/2016 Installation Instructions FL242_R15_II_11-1114.04.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
242.5	HR - 810 (Large Missile Impact)	Multi-Story Aluminum Horizontal Roller Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Please see the Miami-Dade County Notice of Acceptance (NOA) for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL242_R15_C_CAC_12-0718.06_LM.pdf Quality Assurance Contract Expiration Date 11/01/2017 Installation Instructions FL242_R15_II_12-0718.06_LM.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
242.6	HR - 810 (Small Missile Impact)	Multi-Story Aluminum Horizontal Roller Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Please see the Miami-Dade County Notice of Acceptance (NOA) for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL242_R15_C_CAC_12-0718.05_SM.pdf Quality Assurance Contract Expiration Date 11/01/2017 Installation Instructions FL242_R15_II_12-0718.05_SM.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party:

Information.		Evaluation Reports Created by Independent Third Party:
242.7	HR-2710	Vinyl Horizontal Roller Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Please see the Miami-Dade County Notice of Acceptance (NOA) for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL242_R15_C_CAC_11-1114.09.pdf FL242_R15_C_CAC_11-1114.10.pdf FL242_R15_C_CAC_11-1114.11.pdf Quality Assurance Contract Expiration Date 12/23/2015 Installation Instructions FL242_R15_II_11-1114.09.pdf FL242_R15_II_11-1114.10.pdf FL242_R15_II_11-1114.11.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
242.8	HR-2810	Vinyl Horizontal Roller Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Please see the Miami-Dade County Notice of Acceptance (NOA) for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL242_R15_C_CAC_11-1114.11.pdf Quality Assurance Contract Expiration Date 12/23/2015 Installation Instructions FL242_R15_II_11-1114.11.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
242.9	SGD-2500 Window	Aluminum Horizontal Roller Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: Please see the Miami-Dade County Notice of Acceptance (NOA) for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL242_R15_C_CAC_11-1110.16.pdf Quality Assurance Contract Expiration Date 05/22/2013 Installation Instructions FL242_R15_II_11-1110.16.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:

Contact Us :: 1940 North Monroe Street, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2010 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395.
 *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



SecurityMetrics for PCI Compliance, QSA, IDS, Penetration Testing, Forensics, and Vulnerability Assessment